

# **Technical Report:**

# Treatment System Discharge Permit Central Contra Costa Sanitary District September 2005 through November 2005

Former Beacon Station 2185 Solano Way Concord, California

**December 29, 2005** 

Project 2463

Prepared for

Mr. Marcus Shimoff Shimoff and Lager c/o Bert Horn 405 Primrose Road, #300 Burlingame, California

Prepared by

SOMA Environmental Engineering, Inc. 6620 Owens Drive, Suite A Pleasanton, California

### Certification

This report has been prepared by SOMA Environmental Engineering, Inc. on behalf of Mr. Marcus Shimoff, the owner of the former Beacon Station located at 2185 Solano Way, Concord, California, to comply with the Central Contra Costa Sanitary District Groundwater Discharge Permit requirements for September 2005 through November 2005.

Mansour Sepehr, Ph.D., P.E. Principal Hydrogeologist



December 29, 2005

Mr. Timothy Potter Central Contra Costa Sanitary District 5019 Imhoff Place Martinez, California 94553 ENVIRONMENTAL ENGINEERING, INC 6620 Owens Drive, Suite A • Pleasanton, CA 94588-3334 TEL (925) 734-6400 • FAX (925) 734-6401

Re:

**CCCSD Class III Industrial User Permit** 

Former Beacon Station

2185 Solano Way, Concord, California

Dear Mr. Potter:

This report details the operation and maintenance that was performed on the groundwater remediation system at the above referenced site from September 2005 through November 2005. Included in this report are the laboratory analytical data from the groundwater samples that were collected from the treatment system. The site vicinity map is presented in Figure 1.

### Site Background

The remediation system initially began operating in October 2003. The treated groundwater was discharged under the requirements of Order 01-100, NPDES Permit No. CAG912002. On April 8, 2004, upon discovering the breakthrough of tert-Butyl-Alcohol (TBA) into the system's effluent, the system was shutdown and the Regional Water Quality Control Board (RWQCB) was notified. Due to the difficulty of removing TBA from the groundwater, and based upon the approval of the RWQCB, the treated groundwater was no longer discharged into the storm drain. On June 1, 2004, SOMA obtained approval from the Central Contra Costa (CCC) Sanitary District to begin discharging the treated groundwater into the on-site sewer main. A copy of the permit is attached as Appendix A.

At the request of the RWQCB, in a letter dated September 2, 2004, SOMA prepared a revised remedial corrective action plan (CAP). The objective of this report was to reevaluate the previous CAP. Based on the current CCC Sanitary District's discharge requirements, neither Methyl tertiary Butyl Ether (MtBE) nor TBA needs to be removed from the treated groundwater prior to discharge into the sewer main. Therefore, based on economic considerations, as well as maintaining an effective remedial clean-up of the impacted groundwater at the site, SOMA recommended removing the vacuum air stripper and continuing site clean-up efforts using only activated carbon.

On November 4, 2004, the RWQCB approved SOMA's revised CAP. The conversion between the air stripper and GAC systems became retroactive on January 1, 2005.

On May 18, 2005, SOMA replaced the downhole electrical pump in the eastern French drain riser. At this same time, an electrical pump was also installed in the western French drain riser. Therefore, currently there are three active on-site remedial pumps

and one active off-site remedial pump. The locations of the groundwater extraction wells and treatment system are shown in Figure 2. A schematic diagram of the groundwater treatment system is illustrated in Figure 3.

### **Treatment System Operation**

Approximately 1,377,054 gallons of groundwater has been treated and discharged at the site (as of November 21, 2005). Approximately 93,440 gallons of treated groundwater was discharged into the site's sewer main (from August 31, 2005 to November 21, 2005).

To determine if the treated discharged groundwater from the treatment system to the site sewer main remains below the discharge permit limits, samples are routinely collected from the system effluent. The laboratory-reported effluent concentrations are shown in Table 1. Treatment system influent samples have been collected to evaluate the mass removal rate of impacted groundwater by the remedial system. The tabulated influent concentrations, as well as the mass removal rates, are shown in Table 2.

A completed Periodic Compliance Report (PCR) is presented in Appendix B. This report states that SOMA has remained in compliance with the requirements as established by the CCC Sanitary District. The laboratory analytical results are presented in Appendix C.

SOMA has routinely conducted operation and maintenance procedures to comply with the permit's conditions. The dates the system was checked during the time period from August 2005 through November 2005, as well as all equipment readings taken during the maintenance periods, are presented in Appendix D.

### **Future Treatment System Events**

As per the discharge permit's requirements, SOMA will routinely sample both the influent and effluent of the treatment system. Furthermore, the current Slug Discharge Prevention and Contingency (SDPC) Plan for the site will be updated by July 31, 2006.

If you have any questions or comments, please do not hesitate to call Tony Perini, Senior Project Engineer, or myself at (925) 734-6400.

Sincerely,

Mansour Sepenr, Ph.D., P.E. Principal Hydrogeologist

**Enclosures** 

cc: Mr. Bert Horn

# **Tables**

Table 1

Total Volume of Treated Water, Historical Operational Data, and
Historical Effluent Chemical Analytical Results
2185 Solano Way, Concord

Date	Volume (gallons)	TPH-g (ug/L)	MtBE <sup>1</sup> (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Total Xylenes (ug/L)
Date	<u> </u>		2	003			
27-Oct-03	190	<50	<2.0	<0.5	<0.5	<0.5	<0.5
31-Oct-03	1,860	<50	<2.0	<0.5	<0.5	<0.5	<0.5
14-Nov-03	4,700 13,540	<50 <50	<2.0 <0.5	<0.5 <0.5	<0.5 <0.5	<0.5 <0.5	<0.5 <0.5
17-Nov-03 13,540 <50 <0.5 2004					and the second		
6-Jan-04	18,500	<50	<2.0	<0.5	<0.5	<0.5	<0.5
7-Jan-04	25,500	<50	<2.0	<0.5	< 0.5	<0.5	<0.5
13-Jan-04	51,000	<50	<2.0	<0.5	<0.5	<0.5	<0.5
*19-Jan-04	75,560	<50	<2.0	<0.5	<0.5	<0.5	<0.5
*21-Jan-04	83,210	<50	<2.0	<0.5	<0.5	<0.5	<0.5
28-Jan-04	106,510	<50	<2.0	<0.5	<0.5	<0.5	<0.5
3-Feb-04	127,010	<50	<2.0	<0.5	<0.5	<0.5	<0.5
10-Feb-04	151,300	<50	<2.0	<0.5	<0.5	<0.5	<0.5
19-Feb-04	184,720		carbon change	e-out 2000 lb v	essel, 2 55-ga	allon polishing ve	ssels
25-Feb-04	203.620	<50	<2.0	<0.5	<0.5	<0.5	<0.5
*2-Mar-04	233,840	<50	<2.0	<0.5	<0.5	<0.5	<0.5
9-Mar-04	252,800	<50	<2.0	<0.5	<0.5	<0.5	<0.5
18-Mar-04	261,300	<50	<2.0	<0.5	<0.5	<0.5	<0.5
23-Mar-04	276,430	<50	<2.0	<0.5	<0.5	<0.5	<0.5
31-Mar-04	280,222	<50	<2.0	<0.5	<0.5	<0.5	<0.5

# Table 1 Total Volume of Treated Water, Historical Operational Data, and Historical Effluent Chemical Analytical Results 2185 Solano Way,Concord

D-4-	Volume (gallons)	TPH-g (ug/L)	MtBE <sup>1</sup> (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethylbenzene (ug/L)	Total Xylenes (ug/L)
Date	(galloris)			004	3.00 to 1.00 t	(ug/ =/	(-g-/
E A = 04			<2.0	<0.5	<0.5	<0.5	<0.5
5-Apr-04	298,210	<50		<0.5	<0.5	<0.5	<0.5
15-Apr-04	328,040	<50	<2.0				
16-Apr-04	329,020	system shu	t-down due to TE NPDES	to CCC Sanit	effluent samp ary District di	oie, discharge pei scharge permit	rmit changed from
17-May-04	329,020	flow me	ter switched to a	digital instant	aneous meter	(GPI 09 Comput	er Electronics)
8-Jun-04	329,020		LEL m	neter Safe T N	let 100 installe	ed on system	
10-Jun-04	329,020	Meeting	w/ CCC Sanitary	District to sh	ow District ins	stall of flow meter	and LEL meter
14-Jun-04	329,170	Calibrati	on of flow meter		a, start-up of tary District	system, initial dis	charge to CCC
14-Jun-04	329,320	<50	NA	<0.5	<0.5	<0.5	<0.5
	gest et i	3875 July 1975	Section 1988	4 <sup>6</sup>	Berthaman (1988)		
6-Jul-04	355,053	<50	NA	< 0.5	<0.5	<0.5	<0.5
4-Aug-04	371,123	<50	NA	<0.5	<0.5	<0.5	<0.5
10-Sep-04	414,343	<50	<2.0	<0.5	<0.5	<0.5	<0.5
10 00p 0	To-Sep-04   414,345   <50   <2.0   <0.3   <0.3   <0.3						
8-Oct-04	463,370	<50	<2.0	<0.5	<0.5	<0.5	<0.5
12-Nov-04	549,217	<50	10.8	<0.5	<0.5	<0.5	<1.0
10-Dec-04	620,760	<50	<0.5	<0.5	<0.5	<0.5	<1.0
		144,000	to jakito d	2005			
7-Jan-05	710,180	<50	94	<0.5	<0.5	<0.5	<0.5
11-Jan-05	722,070		carbon change	-out 2000 lb v	<u>ressel, 2 55-g</u>	allon polishing ve	i .
3-Feb-05	778,030	<50	<0.5	<0.5	<0.5	<0.5	<0.5
02-Mar-05	886,800	<4300	<10.8	<10.8	<10.8	<10.8	<21.5
14		8.16.	\$ <sup>25</sup>	, 3% <sub>e</sub> -0	- 124	र्भा १ क्षेत्रीय	
15-Apr-05	985,100	<200	4.34	<0.5	<0.5	<0.5	<1.0
25-Apr-05	1,015,920		carbon change	out 2000 lb v	ressel, 2 55-g	allon polishing ve	ssels
02-May-05	1,029,276	<200	<0.5	<0.5	<0.5	<0.5	<1.0
18-May-05	1,062,920	instal	led electrical pun	np in F.D. We	st and replace	ed electrical pump	in F.D. East
10-Jun-05	1,096,570	<200	1.24	<0.5	<2.0	<0.5	<1.0
21-Jun-05	1,126,470		Ca	alibration of flo	w meter by A	.qua Sierra	
31-Aug-05	1,283,614	carbon				ressels, removed 2000 lb carbon ve	
09-Sep-05	1,292,124	<50	<2.0	<0.5	<0.5	<0.5	<0.5

### Notes:

NA- Not analyzed, based on the Sanitary District requirements for MtBE.

<sup>&</sup>lt; = not detected above laboratory reporting limits.

<sup>1:</sup> MtBE Confirmed by EPA Method 8260B.

Only effluent sample collected on Jan. 19, Jan. 21, and March 2, 2004

Cumulative Mass of Petroleum Hydrocarbons Removed from Groundwater Since Installation of Treatment System 2185 Solano Way, Concord Table 2

Date	Volume	Influen	Influent Concentration (μg/L)	(μg/L)	Mass	Mass Removed (pounds)	(spu
	(gallons)	TPH-g	MtBE *	Benzene	6-HdT	MtBE	Benzene
			2003				
27-Oct-03	190	1,000	40,000	150	0.002	90.0	0.0002
31-Oct-03	1,860	2,600	15,000	530	0.04	0.27	0.01
14-Nov-03	4,700	300	26,000	62	0.04	0.89	0.01
17-Nov-03	13,540	<1,300	22,000	140	0.04	2.51	0.02
			2004				
6-Jan-04	18,500	10,000	15,000	540	0.46	3.13	0.04
7-Jan-04	25,500	20,000	24,000	1,400	1.62	4.53	0.12
13-Jan-04	51,000	50,000 Y	22,000	750	12.24	9.20	0.28
28-Jan-04	106,510	7,100	16,000	530	15.52	16.59	0.53
3-Feb-04	127,010	11,000	6,200	028	17.40	17.65	0.68
10-Feb-04	151,300	8,300	35,000	130	19.08	24.73	0.70
25-Feb-04	203,620	27,000	5,400	940	30.84	27.08	1.11
9-Mar-04	252,800	12,000	20,000	730	35.75	35.27	1.41
18-Mar-04	261,300	3,700	37,000	069	36.01	37.89	1.46
23-Mar-04	276,430	<2500	36,000	<25	36.01	42.42	1.46
31-Mar-04	280,222	<2500	35,000	170	36.01	43.53	1.47

Cumulative Mass of Petroleum Hydrocarbons Removed from Groundwater Since Installation of Treatment System 2185 Solano Way, Concord Table 2

Date	Volume	Influen	Influent Concentration (μg/L)	(μg/L)	Mass	Mass Removed (pounds)	(spu
	(gallons)	TPH-g	MtBE *	Benzene	TPH-g	MtBE	Benzene
			2004	A SPECIAL PURE CONTRACTOR	Marine Commence of the Assessment		l.
5-Apr-04	298,210	2,900	36,000	310	36.45	48.92	1.51
15-Apr-04	328,040	4,300	21,000	029	37.52	54.14	1.68
14-Jun-04	329,170	2,700	ΑN	470	37.54	NA	1.68
				Asset to the second	A Commence of the Commence of		
6-,111-04	355.053	3,500	AN	610	38.30	NA	1.81
4-Aun-04	371.123	3,500	AN	430	38.76	NA	1.87
10-Sep-04	414.343	3,200	11,000	150	39.92	58.09	1.93
					Section Control of		
8-Oct-04	463.370	4.600	5,100	150	41.79	60.18	1.99
12-Nov-04	549.217	5,633	7,525	339.7	45.82	65.55	2.23
10-Dec-04	620,760	205	416	<4.3	45.94	65.80	2.23
			2005	Service statements			
7- Jan-05	710.180	9.800	6,200	520	53.24	70.42	2.62
3-Feh-05	778,030	4.200	4,700	70	55.61	73.07	2.66
2-Mar-05	886,800	14,300	1,300	516	68.56	74.25	3.12
				1000年			
15-Apr-05	985.100	<4200	3,630	15	68.56	77.22	3.14
02-Mav-05	1,029,276	5,510	1640	158	70.59	77.83	3.19
10-Jun-05	1,096,570	6,060	1,480	244	73.98	78.65	3.33
		The state of the s					
9-Sep-05	1,292,124	16,000	370	350	100.03	79.26	3.90

# Notes:

NA- Not analyzed, based on the Sanitary District requirements for MtBE.

= not detected above laboratory reporting limits.
 \* MtBE Confirmed by EPA Method 8260B.

Volume is shown as total system discharge. SOMA began discharging treated groundwater to the Central Contra Costa Sanitary District after 329,020 gallons of total flow through system.

# Figures





approximate scale in feet

150 300



# **Appendix A**

Central Contra Costa Sanitary District
Class III Industrial User Permit

# CENTRAL CONTRA COSTA SANITARY DISTRICT Class III Industrial User Permit

				- 1
Industrial User Name:	Shimolf 4	LAGER, cla Bent Hom (former Bea	con Station)	
Site Address:	2185 Solano V	Vay, Concord, California 94519		
Mailing Address:	2680 Bishop I	Drive, Suite 203, San Ramon, CA 9458	\$ 351.00	
Permit Issued: June Permit Renewal: Ma	1, 2005 v 31, 2007	Permit Fee through May 31, 2006 Permit Fee through May 31, 2007	to be billed	
Permit Kellewal, ina	y <del>0 1, 2 </del>			

### Certification

- The Industrial User agrees to comply with Title 10 of the District Code and the terms and conditions of this permit.
- The Industrial User understands that this permit may be revoked and permission to discharge may be denied.
- The Industrial User shall be liable for all damages, direct and consequential, caused by violating the terms and conditions of this permit.

"I am an authorized representative of the Industrial User as specified in CCCSD Code Title 10.04.020 (B). I have authority to commit resources necessary to achieve and maintain compliance with the conditions of this permit. I have reviewed this permit document and understand the requirements contained herein."

Company Officer: Name: Title:	Mansour Sepehr President	
. Signature:		
Date:	5-3-00	

Definition of Authorized Representative of Industrial User: An authorized representative of an industrial user may be: (1) the principal executive officer, if the industrial user is a corporation; (2) general partner or proprietor if the industrial user is a partnership or proprietorship, respectively; (3) duly authorized representative of the individual designated above if such representative is responsible for the overall operation of the facilities from which the discharge originates and if such representative is identified in writing by the individual designated in (1) or (2) above.

The Industrial User is authorized to discharge wastewater to the sanitary sewer, subject to the Industrial User's compliance with Title 10 of the District Code, 40CFR, and the terms and conditions of this permit. This authorization is conditional on the Industrial User signing and returning the above certification to the District's Source Control Section.

Central Contra	Costa Sanitary District
Name:	Timothy L. Potter
Title:	Source Control Program Superintendent

Title: Signature:

Date:

# **Appendix B**

Central Contra Costa Sanitary District Periodic Compliance Report (PCR)



# PERIODIC COMPLIANCE REPORT (PCR)

Central Contra Costa Sanitary District • Source Control Section 5019 Imhoff Place Martinez California 94553-4392 • (925) 229-7288

Industrial Users: Completion of the Periodic Compliance Report (PCR) is required by the Industrial User Permit issued to your facility. Refer to the Appendix of your permit for reporting requirements. When completing this PCR, please address every section below, check all the boxes that apply, and submit all information as required. Record only the information for the reporting period as specified in your permit. Failure to accurately complete this report may result in citation by the District.

theck all the boxes that apply, and submit all information as required in your permit. Failure to accurately complete this report may resu	d. Record only the information <b>for the reporting period</b> as specified of the citation by the District.
NDUSTRIAL USER INFORMATION:	
Facility Name: Shi most & LALER,	40 Bert Horn (Beacon Station)
	CONCORD, CA 94519
Person completing report: Ctiffers PERINI (Name, title, company, phone Soma Environment)	ng Thec- 17AL ENGLWELDRING (925) 734-6400
	to November 30,2005
A. COMPLIANCE SCHEDULE  All Compliance Schedule items have been completed as required and documentation has been submitted.  Attached is a status report of Compliance Schedule items not completed as of the date of this PCR.  There are no Compliance Schedule requirements in the Appendix of the permit.  SPECIAL APPROVALS & CONDITIONS  I hereby certify that the facility and operations are in compliance with the Special Approvals and Conditions in the Appendix of the permit.  There are no Special Approvals and Conditions requirements in the Appendix of the permit.  C. CERTIFICATION, REGISTRATION & LICENSES  A list of certified pretreatment operators is attached as required.  A copy of the required licenses or registrations is attached.  There are no Certification, Registration & Licenses requirements in the Appendix of the permit.	D. OPERATION & MAINTENANCE (O&M) LOG REQUIREMENTS  □ 0&M Logs are maintained on-site as required. □ Copies of 0&M Logs are attached as required. □ Submittal of 0&M Logs is not required. □ Submittal of 0&M Logs is not required. □ Copies of the REPORTING REQUIREMENTS  Manifests/receipts: □ No process liquids, sludges or solids, or hazardous wastes were off-hauled or recycled during the reporting period. □ Copies of the manifests/receipts for off-haul of process liquids, sludges or solids, or hazardous wastes are attached as required. □ Records are maintained on-site; submittal is not required. □ Production data for the dates of sampling: □ Production data is attached as required. □ Submittal of production data is not required. □ Submittal of production data is not required. □ Process discharge flow meter totalizer readings as required: □ Start □ End □ Process water meter totalizer readings as required: □ Start 8/31/05 954.597 End 11/21/05 1.048 or 921/05 Flow meter readings not required.

For Source Control use only		
Date Received:	Reviewed by:	Date Reviewed:

F. Co	MPLIANCE SAMPLING AND			
Coi	mpliance Sampling Informa	tion: (for multiple days of	sampling attach an additional shee	et)
	Compliance sampling is not requ	pired		e and talanhana number.
Ø	The original analysis reports and	d chain of custody are attached. The	report includes: laboratory name, addres	s and reseptione notition;
	reporting limits; units; UA/UL a	ata; and the date and time of all gra	u sumpres.	
	Sampling performed by:	Mehran Nowrooti		1 TAI
			GENTAL ENGINEERIN	1 04500 (6400
	(name, company, phone no)	6620 Owens Drive	, Suite A, Pleasanton, Cr	7 99388
	Sampling locations	INFLUENT		
	& wastestreams sampled:			
	Sampling start date/time:	9/9/05 11 AM	Sampling end date/time: 9/9/03	11.05 AM
Monit	toring Information:			
	pH recorder tape/chart:	attached as required		H monitoring not required
	Flow recorder tape/chart:	attached as required	amaintained on site	ow monitoring not required
	totaliter reading	19		
Comp	pliance Status:	g results are within applicable local	/ federal limits.	
	Analytical and/or monitoring re	esults indicate violation(s) of applica	ble federal or local limits. A separate she	et is attached listing the
لـــا	violations, the reasons for the	violations, and a description of corr	ective actions taken.	
			rtifying in lieu of monitoring for TTO. Approved I	TO Management Plan required.)
n –	and an environment of the percent	or norcons directly responsible for M	anaging compliance will life belief him in	minimus preneumoni
	- June Law Todal Toxic Orognics /T'	IN) I cartify that to the hest at my k	nowledge and belief, no dumping of conce nce report. I further certify that this facilit	IIII AIRA JOXIC OLGANISCO INTO
the Mo	e public sewer system has occurre anguement Plan submitted to, and	ed since the thing of the last complic d approved by, the Central Contra C	osta Sanitary District.	, 10 iii.promoning
•		. <b>''</b>		
<u></u>	anatura	Title & Company		Date
31	gnature	mad a company		
1	ERTIFICATION  All required complian reports	d herein was conducted in accorda	nce with the methods specified in the Ind	ustrial User permit for this
fa	the Carabas was analyzed by	, a laboratory cortified by the STATE	UL CUITULUIO IOI MOZIEMDIEL ANALYSIS DA I	He Hieliland I charica. Vii
ľ		Marchian lavale and ntarge flaws I	methods, including those not required in or the reporting period were typical for t	1113 10(1111). 1 11010 011000
		- /	PAMICAE BEREGOE FRANKISKI INKRE WILL	EMILE DENINGILL VIIVVI
op	perations that have the potential ' eviation from the terms and condi	tor changing the quality, volume, of tions of the CCCSD Industrial User P	location of the wastewater discharge of the emit. Any deviations from the above are	explained on an attached
	ant .			
	daa with tha exetam dacian	ad to incure that audition harson a	tachments were prepared under my dire I properly gather and evaluate the inform responsible for gathering the information	ulion sopinimea, basea on
is	, to the best of my knowledge a Inmitting false information, inclu	ind beliet, true, accurate, and comp ding the possibility of fine and/or in	lete. I am aware that there are significant in the	unt penantes for knowings,
			Test Engineer	
	differed Perisi	COMA ENVIA	ONMENTAL ENGINEERING	12/27/05
			The formal of the contract	Date
S	igńature	Title & Company		

F.

# **Appendix C**

Laboratory Report and Chain of Custody Form for the
Groundwater Remediation System



819 Striker Ave Ste 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100 www.sequoialabs.com

27 September, 2005

Tony Perini Soma Environmental Eng. 6620 Owens Drive, Suite A Pleasanton, CA. 94588

RE: N/A

Work Order: S509179

Enclosed are the results of analyses for samples received by the laboratory on 09/09/05 11:45. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Tami Lindsay Project Manager

CA ELAP Certificate #1624

Jami Linday



†455 N. McDowell Blvd, Suite D. + Petaluma, CA 94954 + (707) 792-1865 • FAX (707) 792-0342 819 Striker Ave., Suite B + Sacramento, CA 95834 • (916) 921-9600 • FAX (916) 921-0100 Temp. (If required Comments/ 24C ANALYSES REQUESTED (Please provide method) 2430 Sprig Court, Suite G • Concord, CA 94520 • (925) 356-3150 • FAX (925) 356-0109 U Level IV 885 Jarvis Drive + Morgan Hill, CA 95037 + (408) 776-9600 + FAX (408) 782-6308 Project: 2463 - Solono wy concods O Level III Date / Time / Temp. 9/4 Sequola's Work Order # Date / Time / Temp.; Date / Time / Temp.: Date / Time / Temp. ☐ Level II (standard) 2/08 Billing Address (if different): 209 Method of Shipment: wan QC Data: P.O. # 7 7 S MANDATORY:

SDWA (Drinking Water)

CWA (Waste Water)

RCRA (Hazardous Waste) ra CWA (Waste Water)
RCRA (Hazardous Waste)
Office Yes Sequoia's Sample # State: CA Zip Code: 94588 o Fax#: 925-734-6401 Samples on Ice? ANY Received by / Co. Received by / Co.: Received by / Co.: Received by / Co.: Date / Time Results Required; Container 10-0h Amber 40 24 1-1-the Ype 202 11.17 0000 Mailing Address: 6620 owens prive, Suste A Company Name: SOMA ENVIRORMENTAL E-mail Address: Con **₩** М Ş 72 Hours 24 Hours 2-8 Hours 48 Hours Yes 🖸 Matrix Desc. 19,90 Tion 2) 81 87 K 9,9,00 Hisor Date / Time 94/05 (1100 T 9,9,00 11:05 Sampler Mely an House cott Telephone: 925-734-6400 Sampled Were Samples Received in Good Condition? Report To: TOAY PERIN 10-15 Worlding Days 7 Working Days 5 Working Days (Standard TAT) City: Pleasantan Dribuent Ett/vent Different Effluent Relinquished by / Co.: \ Relinquished by / Co.: Refinquished by / Co.: Relinquished by / Ca.: Furnaround of Sample I.D. Client Ċ L) Ç, ထ 2 o; 1

Write: Sequoia

Yellow: Sequoia

O

Page



819 Striker Ave Ste 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100 www.sequoialabs.com

Soma Environmental Eng. 6620 Owens Drive, Suite A Pleasanton CA., 94588

Project:N/A
Project Number:2463-Solano Wy, Concord
Project Manager:Tony Perini

\$509179 **Reported:** 09/27/05 13:36

### ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	
Effluent	S509179-01	Water	09/09/05 11:00	09/09/05 11:45	
Influent	\$509179-02	Water	09/09/05 11:05	09/09/05 11:45	





Soma Environmental Eng. 6620 Owens Drive, Suite A Pleasanton CA., 94588

Project:N/A
Project Number:2463-Solano Wy, Concord
Project Manager:Tony Perini

\$509179 **Reported:** 09/27/05 13:36

# Purgeable Hydrocarbons by EPA 8015B Sequoia Analytical - Sacramento

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Effluent (S509179-01) Water	Sampled: 09/09/05 11:00	Received:	09/09/05	11:45				., .,	
Gasoline Range Organics (C4-C1	12) ND	50	ug/l	1	5090155	09/13/05	09/13/05	EPA 8015B- VOA	
Surrogate: 4-BFB (FID)		70 %	60-	140	"	11	"	"	
Surrogate: a,a,a-TFT (PID)		81 %	60-	140	"	"	"	"	
Influent (S509179-02) Water	Sampled: 09/09/05 11:05	Received:	09/09/05	11:45					
Gasoline Range Organics (C4-C	C12) 16000	2500	ug/l	50	5090155	09/13/05	09/13/05	EPA 8015B- VOA	
Surrogate: 4-BFB (FID)		96 %	60-	140	"	"	"	"	
Surrogate: a,a,a-TFT (PID)		85 %	60-	140	"	n	"	n	



819 Striker Ave Ste 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100 www.sequoialabs.com

Soma Environmental Eng. 6620 Owens Drive, Suite A Pleasanton CA., 94588

Project:N/A
Project Number:2463-Solano Wy, Concord
Project Manager:Tony Perini

S509179 Reported: 09/27/05 13:36

Extractable Hydrocarbons by EPA 8015B Sequoia Analytical - Sacramento

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Effluent (S509179-01) Water Sampled	: 09/09/05 11:00	Received:	09/09/05	11:45					
Diesel Range Organics (C10-C28)	ND	50	ug/l	1	5090131	09/12/05	09/12/05	EPA 8015B- SVOA	
Surrogate: Octacosane		58 %	50-	150	"	<i>n</i>	n	"	
Influent (S509179-02) Water Sampled:	09/09/05 11:05	Received:	09/09/05	11:45					
Diesel Range Organics (C10-C28)	4000	100	ug/l	2	5090131	09/12/05	09/13/05	EPA 8015B- SVOA	
Surrogate: Octacosane		102 %	50-	150	"	"	"	"	



819 Striker Ave Ste 8 Sacramento. CA 95834 (916) 921-9600 FAX (916) 921-0100 www.sequoialabs.com

Soma Environmental Eng. 6620 Owens Drive, Suite Λ Pleasanton CA., 94588

Project:N/A
Project Number:2463-Solano Wy, Concord
Project Manager:Tony Perini

S509179 Reported: 09/27/05 13:36

# MTBE by EPA 8021B

# Sequoia Analytical - Sacramento

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Effluent (S509179-01) Water	Sampled: 09/09/05 11:00	Received:	09/09/05	11:45					
Methyl tert-butyl ether	ND	2.0	ug/l	1	5090155	09/13/05	09/13/05	EPA 8021B	
Surrogate: a,a,a-TFT (PID)		81 %	60-	140	tı	#	"	"	
Influent (S509179-02) Water	Sampled: 09/09/05 11:05	Received:	09/09/05	11:45					
Methyl tert-butyl ether	370	100	ug/l	50	5090155	09/13/05	09/13/05	EPA 8021B	
Surrogate: a,a,a-TFT (PID)		85 %	60-	140	"	"	"	n .	





Soma Environmental Eng. 6620 Owens Drive, Suite A Pleasanton CA., 94588 Project:N/A
Project Number:2463-Solano Wy, Concord
Project Manager:Tony Perini

S509179 Reported: 09/27/05 13:36

# Purgeable Aromatics by EPA Method 602 Sequoia Analytical - Sacramento

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Effluent (S509179-01) Water	Sampled: 09/09/05 11:00	Received:	09/09/05	5 11:45					
Benzene	ND	0.50	ug/l	1	5090155	09/13/05	09/13/05	EPA 602	
Toluene	ND	0.50	н	n	"	"	"	"	
Ethylbenzene	ND	0.50	H	H	11	**	n	**	
Xylenes (total)	ND	0.50	"	n	11	11	11	**	
Surrogate: a,a,a-TFT (PID)		81 %	60-	-140	"	"	"	"	
Influent (S509179-02) Water	Sampled: 09/09/05 11:05	Received:	09/09/05	11:45					
Benzene	350	25	ug/l	50	5090155	09/13/05	09/13/05	EPA 602	
Toluene	800	25	"	n	•	11	"	et	
Ethylbenzene	310	25	**	"	18	u	n	**	
Xylenes (total)	2100	25	*1	"	U	11	"	11	
Surrogate: a,a,a-TFT (PID)		85 %	60	-140	"	"	"	"	



819 Striker Ave Ste 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100 www.sequoialabs.com

Soma Environmental Eng. 6620 Owens Drive, Suite A Pleasanton CA., 94588

Project:N/A
Project Number:2463-Solano Wy, Concord
Project Manager:Tony Perini

\$509179 Reported: 09/27/05 13:36

# Purgeable Hydrocarbons by EPA 8015B - Quality Control Sequoia Analytical - Sacramento

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Nime
Batch 5090155 - EPA 5030B (P/T) /				Berei	nesuit	/UKIJC	Limits	KFD	LIIIII	Notes
Blank (5090155-BLK1)		<u> </u>		Prepared	& Analyze	ed: 09/13/	05			
Gasoline Range Organics (C4-C12)	ND	50	ug/l							
Surrogate: 4-BFB (F1D)	7.13			10.0		71	60-140			
Surrogate: a.a.a-TFT (PID)	8.47		"	10.0		85	60-140			
Laboratory Control Sample (5090155-B	S1)			Prepared	& Analyze	ed: 09/13/0	05			
Gasoline Range Organics (C4-C12)	80.8	50	ug/l	· ·			70-130			
Surrogate: 4-BFB (FID)	7.63		<i>n</i>	10.0			60-140			
Surrogate: a,a,a-TFT (PID)	8.24		"	10.0		82	60-140			
Matrix Spike (5090155-MS1)	Source: S50	9179-01		Prepared a	& Analyze	ed: 09/13/0	05			
Gasoline Range Organics (C4-C12)	78.4	50	ug/l		ND		60-140			
Surrogate: 4-BFB (FID)	6.92		,,	10.0		69	60-140			
Surrogaie: a.a.a-TFT (PID)	7.96		"	10.0		80	60-140			
Matrix Spike Dup (5090155-MSD1)	Source: S50	9179-01		Prepared a	& Analyze	d: 09/13/0	)5			
Gasoline Range Organics (C4-C12)	83.2	50	ug/l	· · · · · · · · · · · · · · · · · · ·	ND		60-140	6	25	
Surrogate: 4-BFB (F1D)	6.92		"	10.0		69	60-140			
Surrogate: a,a.a-TFT (PID)	8.15		"	10.0		82	60-140			





Soma Environmental Eng.

6620 Owens Drive, Suite A

Project Number: 2463-Solano Wy, Concord

Pleasanton CA., 94588

Project Manager: Tony Perini

Reporting

\$509179 **Reported:** 09/27/05 13:36

RPD

%REC

# Extractable Hydrocarbons by EPA 8015B - Quality Control Sequoia Analytical - Sacramento

Spike

Source

Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 5090131 - EPA 3510C / EPA	8015B-SVOA									
Blank (5090131-BLK1)				Prepared	& Analyz	ed: 09/12/	05			
Diesel Range Organics (C10-C28)	ND	50	ug/l							
Surrogate: Octacosane	25.7		"	20.0		128	50-150			
Laboratory Control Sample (5090131-	·BS1)			Prepared	& Analyz	ed: 09/12/	05			
Diesel Range Organics (C10-C28)	436	50	ug/l	500	'	87	60-140	,		
Surrogate: Octacosane	13.0		"	20.0		65	50-150			
Laboratory Control Sample Dup (509	0131-BSD1)			Prepared	& Analyz	ed: 09/12/	05			
Diesel Range Organics (C10-C28)	419	50	ug/l	500		84	60-140	4	50	
Surrogate: Octacosane	12.9		"	20.0		64	50-150			





Soma Environmental Eng. 6620 Owens Drive, Suite Λ Pleasanton CA., 94588 Project:N/A
Project Number:2463-Solano Wy, Concord
Project Manager:Tony Perini

S509179 Reported: 09/27/05 13:36

# MTBE by EPA 8021B - Quality Control Sequoia Analytical - Sacramento

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 5090155 - EPA 5030B (P/T) / 1					· · · · · · · · · · · · · · · · · · ·					
Blank (5090155-BLK1)				Prepared of	& Analyze	ed: 09/13/0	)5			
Methyl tert-butyl ether	ND	2.0	ug/l							
Surrogate: a,a,a-TFT (PID)	8.47		"	10.0		85	60-140			
Laboratory Control Sample (5090155-B	S1)			Prepared a	& Analyze	ed: 09/13/0	95			
Methyl tert-butyl ether	7.99	2.0	ug/l	10.0	· · · · · · · · · · · · · · · · · · ·	80	70-130			
Surrogate: a,a,a-TFT (PID)	8.24		"	10.0		82	60-140			
Matrix Spike (5090155-MS1)	Source: S5	509179-01		Prepared a	& Analyze	ed: 09/13/0	05			
Methyl tert-butyl ether	8.39	2.0	ug/l	10.0	ND	84	60-140			
Surrogate: a,a,a-TFT (PID)	7.96		"	10.0		80	60-140			
Matrix Spike Dup (5090155-MSD1)	Source: S5	509179-01		Prepared .	& Analyze	ed: 09/13/0	05			
Methyl tert-butyl ether	8.77	2.0	ug/l	10.0	ND	88	60-140	4	25	
Surrogate: a,a,a-TFT (PID)	8.15		<i>n</i>	10.0		82	60-140			





Soma Environmental Eng. 6620 Owens Drive, Suite A Pleasanton CA., 94588

Project:N/A
Project Number:2463-Solano Wy, Concord
Project Manager:Tony Perini

S509179
Reported:
09/27/05 13:36

# Purgeable Aromatics by EPA Method 602 - Quality Control Sequoia Analytical - Sacramento

Analyte Resul	Reporting t Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 5090155 - EPA 5030B (P/T) / EPA 602									
Blank (5090155-BLK1)	<u> </u>		Prepared a	& Analyze	ed: 09/13/0	)5			
Benzene NI	0.50	ug/l							
Toluene NI	0.50	н							
Ethylbenzene NI	0.50	н							
Xylenes (total) NI	0.50	n							
Surrogate: a.a,a-TFT (PID) 8.4	 7	"	10.0		85	60-140			
Laboratory Control Sample (5090155-BS1)			Prepared a	& Analyze	ed: 09/13/0	05			
Benzene 8.0	4 0.50	ug/l	10.0		80	70-130			
Toluene 7.8	3 0,50	"	10.0		78	70-130			
Ethylbenzene 7.9	0.50	17	10.0		79	70-130			
Xylenes (total) 23.	3 0.50	"	30.0		78	70-130			
Surrogate: a,a,a-TFT (PID) 8.2	4	"	10.0		82	60-140			
Matrix Spike (5090155-MS1) Source	e: S509179-01		Prepared a	& Analyze	ed: 09/13/0	95			
Benzene 8.1	0.50	ug/l	10.0	ND	81	60-140			
Toluene 7.8	4 0.50	"	10.0	ND	78	60-140			
Ethylbenzene 7.9	0.50	"	10.0	ND	79	60-140			
Xylenes (total) 23.	3 0.50	**	30.0	ND	78	60-140			
Surrogate: a.a.a-TFT (PID) 7.9	6	11	10.0		80	60-140			
Matrix Spike Dup (5090155-MSD1) Source	e: S509179-01		Prepared a	& Analyze	ed: 09/13/0	95			
Benzene 8.1	9 0.50	ug/l	10.0	ND	82	60-140	1	25	
Toluene 7.9	7 0.50	n	10.0	ND	80	60-140	2	25	
Ethylbenzene 8.0	5 0.50	"	10.0	ND	80	60-140	2	25	
Xylenes (total) 23.	7 0.50	IT	30.0	ND	79	60-140	2	25	
Surrogate: a.a.a-TFT (PID) 8.1.	5	"	10.0		82	60-140			



819 Striker Ave Ste 8 Sacramento. CA 95834 (916) 921-9600 FAX (916) 921-0100 www.sequoialabs.com

Soma Environmental Eng.	Project:N/A	S509179
6620 Owens Drive, Suite A	Project Number: 2463-Solano Wy, Concord	Reported:
Pleasanton CA., 94588	Project Manager:Tony Perini	09/27/05 13:36

### **Notes and Definitions**

DET Analyte DETECTED
----------------------

ND Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified

NR Not Reported

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference

# **Appendix D**

Operation & Maintenance Logs for the Groundwater Remediation System

# CCCSD SOURCE CONTROL FLOW SUMMARY REPORT

DISCHARGER.	, co.port to E	ion of your permit, you he District on a periodi f your permit.	are required to compl c basis. Please refer	ete and sub to Reportin	mit this Flow Sun g Requirem ents	nmary in the
DISCHARGER NAME:	Shim	Af 4. LALER, 3	Lo Bert Horn	PERMIT#	NA.	
DISCHARGE SITE:	<u> 2/85 -</u>	Solamo with			CACOPS	
REPORT PERIOD:	<b>Z</b>	CHECK ONE Jun 1 - Aug 31 Sep 1 - Nov 30 Dec 1 - Feb 28 Mar 1 - May 31	YEAR 2005			
		Month: September 2	Month: a /			
Total Flow Volume						
Average Daily Flow	Volume	60,781	7/233		13,704	GALLONS
Number of days of.	Discharge ·	2796	717		508	-GPD
Peak Daily Flow		~ 0	27		27	Days
1 Said Daily 1.10W		GALLONS QN	GALLON		GALLONS.	
Use readings from 2. Calculate Average in lieu of calculate	m flow mete le Daily Flow		sage records. Attach each month. If availat			
		,	istrict use only)			
☐ Bill Permit Fee!	Ď	Permit Type	:			
Type of SSC billing Industrial for Commercial Commercial	rmuia rate		ype of Facility Use Flat rate Groundwater form □ FCF formula (	per_ nula (strend	gth factors = ∩)	
Other Amount		For				
Date Received		Date Processed		Ву		

		2183 301all	secondity Carlow Systems	*
O&M Checklist	8,31,05	9,9,05	Date 9/13/05	4,20,05
Becord Totalizer Beading	025'401	112,830	140,223	161, 500
Record Instantaneous	368M	ЧСРЛ	m 6 6 m	3680
Check Electrical downhole		>		
check for water leaks in				
check lightness of sensors	\			
check cleanliness of				
6	2	a		7
LEL Reading notes	CAR boy Chay	S anows	7 The isoland in	Site Por
12 ass	2 Drung reflow		Films By Jop & ?	
lons for flow CLCSD	1 1	G	CAC LEWIT Charter	
1179 294 gallors	(MC Kee) Const	70		

BY CAMENON

	-		Carlon Systems	5
O. M. Chacklist	9/20/65	10,4/05	Date (0 /14/05	10,11,00
(gallons)	172.801	175/350	179,050	181,113
Hecord Totalizer Reading $(ga/ct)$	3 gfm	2601	2 gpm	2687
Flow Reading Check Electrical downhole				
pumps check for water leaks in			`\	
system system check tightness of sensors	\			
in holding tank check cleanliness of	\			
Sensors in nothing tank		0	0	7
notes		1:50 Pm	8 50 A.M.	11:30 AM
11 850, 274		Elect Brocked	an Cerban TANK	
allons to flow		13 Daker		
, CCC10				

O&M Checklist  (3 & (lod)  Record Totalizer Reading $184056$ (34 /lod)  Record Instantaneous Flow Reading  Check Electrical downhole  Check Electrical downhole  Dumos	138, 388	Date 11/2/25 1940 2940	100 2 182
check for water leaks in system			
check tightness of sensors in holding tank	a and a second		
check cleanliness of sensors in holding tank	and the second		
2		2	
LCL Naduing		3.05	12,45
		-	
lloys to thou			

Add 850,274
gallons to flow
to CCCSB
the Add 117929t
gallons to total
system from

4.000			Date	
UMW Checkins	70.07	The second state of the se	A CONTRACTOR OF THE PROPERTY O	
(gallers)	01.00			
Record Totalizer Reading				
$\left( \hat{\mathcal{G}}_{\mathcal{A}} / / \sigma_{\ell} \mathcal{I}_{J} \right)$ Record Instantaneous				
Flow Reading				
Check Electrical downhole	\			
sdund				,
check for water leaks in system	, company			
check tightness of sensors	· · · · · · · · · · · · · · · · · · ·			
in holding tank				
check cleanliness of				
Schools III fourth of the				
LEL Reading	7			A STATE AND ALL AND ADDRESS OF THE PROPERTY OF
SHIP I SH	12.30			
	1 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5			SEE.
111 812 274				
19 for flow	m			
70° - 45222 a				
AS 1179247				